Ref. No	Title of guidance	NICE	Applicable to WMUH?	Current Implementation Status at present
		Publication Date		
TA001	Wisdom teeth - removal	Mar-00	No	Guidance is not applicable to WMUH
	Hip disease - replacement prostheses (replaced by TA304)	Apr-00	Superseded Guidance	Superseded Guidance
	Ovarian cancer - taxanes (replaced by TA55) Ischaemic heart disease - coronary artery stents (replaced by TA71)	May-00 May-00	Superseded Guidance Superseded Guidance	Superseded Guidance Superseded Guidance
	Cervical cancer - liquid based cytology (replaced by TA69)	Jun-00	Superseded Guidance	Superseded Guidance
	Breast cancer - taxanes (replaced by TA30)	Jun-00	Superseded Guidance	Superseded Guidance
	Dyspepsia - proton pump inhibitors (replaced by CG17) Hearing disability - hearing aids (withdrawn)	Jul-00 Jul-00	Superseded Guidance Terminated Appraisal	Superseded Guidance Terminated Appraisal
	Diabetes (type 2) - rosiglitazone (replaced by TA63)	Aug-00	Superseded Guidance	Superseded Guidance
	Asthma (children under 5) - inhaler devices	Aug-00	Yes	Fully implemented
	Arrhythmias - implantable cardioverter defibrillators (ICDs) (replaced by TA95) Acute coronary syndromes - glycoprotein IIb/IIIa inhibitors (replaced by TA47)	Sep-00 Sep-00	Superseded Guidance Superseded Guidance	Superseded Guidance Superseded Guidance
	Attention deficit hyperactivity disorder (ADHD) - methylphenidate (replaced by TA98)	Oct-00	Superseded Guidance	Superseded Guidance
	Hepatitis C - alpha interferon and ribavirin (replaced by TA75)	Oct-00	Superseded Guidance	Superseded Guidance
	Flu - zanamivir (replaced by TA58) Knee joints (defective) - autologous cartilage transplantation (replaced by TA89)	Nov-00 Dec-00	Superseded Guidance Superseded Guidance	Superseded Guidance Superseded Guidance
	Colorectal cancer - laparoscopic surgery (replaced by TA105)	Dec-00	Superseded Guidance	Superseded Guidance
	Hernia (inguinal) - laparoscopic surgery (replaced by TA83)	Jan-01	Superseded Guidance	Superseded Guidance
	Alzheimer's disease - donepezil, rivastigmine and galantamine (replaced by TA111) Motor neurone disease - riluzole	Jan-01 Jan-01	Superseded Guidance Yes	Superseded Guidance Fully implemented
	Diabetes (type 2) - pioglitazone (replaced by TA63)	Mar-01	Superseded Guidance	Superseded Guidance
	Obesity - orlistat (replaced by CG43)	Mar-01	Superseded Guidance	Superseded Guidance
	Wound care - debriding agents (replaced by CG74) Lung cancer - docetaxel, paclitaxel, gemcitabine and vinorelbine (replaced by CG24)	Apr-01 Jun-01	Superseded Guidance Superseded Guidance	Superseded Guidance Superseded Guidance
	Osteoarthritis and rheumatoid arthritis - cox II inhibitors (replaced by CG59 and CG79)	Jul-01	Superseded Guidance	Superseded Guidance
	Ovarian cancer - topotecan (replaced by TA91)	Jul-01	Superseded Guidance	Superseded Guidance
	Leukaemia (lymphocytic) - fludarabine Breast cancer - taxanes (review)(replaced by CG81)	Sep-01 Sep-01	Yes Superseded Guidance	Fully implemented Superseded Guidance
	Obesity - sibutramine (replaced by CG43)	Oct-01	Superseded Guidance	Superseded Guidance
TA032	Multiple sclerosis - beta interferon and glatiramer acetate	Jan-02	No	Guidance is not applicable to WMUH
	Colorectal cancer (advanced) - irinotecan, oxaliplatin & raltitrexed (replaced by TA93) Breast cancer - trastuzumab	Mar-02 Mar-02	Superseded Guidance Yes	Superseded Guidance Fully implemented
	Arthritis (juvenile idiopathic) - etanercept (replaced by TA373)	Mar-02	Superseded Guidance	Superseded Guidance
TA036	Rheumatoid arthritis - etanercept and infliximab (replaced by TA130 and TA195)	Mar-02	Superseded Guidance	Superseded Guidance
	Lymphoma (follicular non-Hodgkin's) - rituximab (replaced by TA137)	Mar-02	Superseded Guidance	Superseded Guidance
	Asthma (older children) - inhaler devices Smoking cessation - bupropion and nicotine replacement therapy (replaced by PH10)	Mar-02 Mar-02	Yes Superseded Guidance	Fully implemented Superseded Guidance
	Crohn's disease - infliximab (replaced by TA187)	Apr-02	Superseded Guidance	Superseded Guidance
	Pregnancy - routine anti-D prophylaxis for RhD-negative women (replaced by TA156)	May-02	Superseded Guidance	Superseded Guidance
	Growth hormone deficiency (children) - human growth hormone (replaced by TA188) Schizophrenia - atypical antipsychotics (replaced by CG82)	May-02 Jun-02	Superseded Guidance Superseded Guidance	Superseded Guidance Superseded Guidance
	Hip disease - metal on metal hip resurfacing (replacing TA304)	Jun-02	Superseded Guidance	Superseded Guidance
TA045	Ovarian cancer (advanced) - pegylated liposomal doxorubicin hydrochloride (replaced by TA91)	Jul-02	Superseded Guidance	Superseded Guidance
TA046	Obesity (morbid) - surgery (replaced by CG43)	Jul-02	Superseded Guidance	Superseded Guidance
	Acute coronary syndromes - glycoprotein IIb/IIIa inhibitors (replaced by CG94)	Sep-02	Superseded Guidance	Superseded Guidance
	Renal failure - home versus hospital haemodialysis	Sep-02	No	Guidance is not applicable to WMUH
	Central venous catheters - ultrasound locating devices Leukaemia (chronic myeloid) - imatinib (replaced by TA70)	Sep-02 Oct-02	No Superseded Guidance	Guidance is not applicable to WMUH Superseded Guidance
	Depression and anxiety - computerised cognitive behaviour therapy (CCBT) (replaced by TA97)	Oct-02	Superseded Guidance	Superseded Guidance
TAGES	NAvo condictinformation throughousis	Oct 03	No	Cuidanas is not applicable to WMIIII
	Myocardial infarction - thrombolysis Diabetes (types 1 and 2) - long acting insulin analogues (replaced by NG17)	Oct-02 Dec-02	Superseded Guidance	Guidance is not applicable to WMUH Superseded Guidance
TA054	Breast cancer - vinorelbine (replaced by CG81)	Dec-02	Superseded Guidance	Superseded Guidance
	Ovarian cancer - paclitaxel (partially updated by TA91) Stress incontinence - tension-free vaginal tape (replaced by CG40)	Jan-03 Feb-03	No Superseded Guidance	Guidance is not applicable to WMUH Superseded Guidance
	Diabetes (type 1) - insulin pump therapy (replaced by TA151)	Feb-03	Superseded Guidance	Superseded Guidance
	Flu treatment - zanamivir (review), amantadine and oseltamivir (replaced by TA168)	Feb-03	Superseded Guidance	Superseded Guidance
	Electroconvulsive therapy (ECT)	Apr-03	No	Guidance is not applicable to WMUH
	Diabetes (types 1 and 2) - patient education models (replaced by CG66) Colorectal cancer - capecitabine and tegafur uracil	Apr-03 May-03	Superseded Guidance Yes	Superseded Guidance Fully implemented
	Breast cancer - capecitabine (replaced by CG81)	May-03	Superseded Guidance	Superseded Guidance
	Diabetes (type 2) - glitazones (replaced by CG66)	Aug-03	Superseded Guidance	Superseded Guidance
	Growth hormone deficiency (adults) - human growth hormone Non-Hodgkin's lymphoma - rituximab	Aug-03 Sep-03	Yes Yes	Fully implemented Fully implemented
	Bipolar disorder - new drugs (replaced by CG38)	Sep-03	Superseded Guidance	Superseded Guidance
TA067	Flu prevention - amantadine and oseltamivir (replaced by TA158)	Sep-03	Superseded Guidance	Superseded Guidance
	Macular degeneration (age-related) - photodynamic therapy Cervical cancer - cervical screening	Sep-03 Oct-03	No No	Guidance is not applicable to WMUH Guidance is not applicable to WMUH
	Leukaemia (chronic myeloid) - imatinib (partially updated by TA241 and TA251)	Oct-03	Yes	Fully implemented
TA071	Ischaemic heart disease - coronary artery stents (Sections 1.2-1.4 replaced by TA152)	Oct-03	No	Guidance is not applicable to WMUH
	Rheumatoid arthritis - anakinra (replaced by CG79)	Nov-03	Superseded Guidance	Superseded Guidance
	Angina and myocardial infarction - myocardial perfusion scintigraphy (Partly updated by CG95 and CG126)	Nov-03	No	Guidance is not applicable to WMUH
	Trauma - fluid replacement therapy	Jan-04	No	Guidance is not applicable to WMUH
	Hepatitis C - pegylated interferons, ribavirin and alfa interferon (partially updated by TA200 and TA300)	Jan-04	No	Guidance is not applicable to WMUH
TA076	Epilepsy (adults) - newer drugs (replaced by CG137)	Mar-04	Superseded Guidance	Superseded Guidance
	Insomnia - newer hypnotic drugs	Apr-04	Yes	Fully implemented
TA078	Menstrual bleeding - fluid-filled thermal balloon and microwave endometrial ablation	Apr-04	No	Guidance is not applicable to WMUH
	Epilepsy (children) - newer drugs (replaced by CG137) Acute coronary syndromes - clonidogrel (replaced by CG94)	Apr-04	Superseded Guidance	Superseded Guidance
	Acute coronary syndromes - clopidogrel (replaced by CG94) Atopic dermatitis (eczema) - topical steroids	Jul-04 Aug-04	Superseded Guidance Yes	Superseded Guidance Fully implemented
TA082	Atopic dermatitis (eczema) - pimecrolimus and tacrolimus	Aug-04	Yes	Fully implemented
	Laparoscopic surgery for inguinal hernia repair (replaced by TA18)	Sep-04	Yes	Fully implemented
TA084	Sepsis (severe) - drotrecogin Renal transplantation - immuno-suppressive regimens (adults)	Sep-04 Sep-04	Guidance withdrawn No	Guidance withdrawn Guidance is not applicable to WMUH
TA085	Gastro-intestinal stromal tumours (GIST) - imatinib (partially updated by TA209)	Oct-04	No	Guidance is not applicable to WMUH
		Jan-05	Superseded Guidance	Superseded Guidance
TA086 TA087	Osteoporosis - secondary prevention (replaced by TA161)		_	Guidance is not applicable to WMUH
TA086 TA087 TA088	Bradycardia - dual chamber pacemakers (partially updated by TA324)	Feb-05	No.	
TA086 TA087 TA088 TA089			No No Superseded Guidance	Guidance is not applicable to WMUH Superseded Guidance
TA086 TA087 TA088 TA089 TA090	Bradycardia - dual chamber pacemakers (partially updated by TA324) Cartilage injury - autologous chondrocyte implantation (ACI)	Feb-05 May-05	No	Guidance is not applicable to WMUH
TA086 TA087 TA088 TA089 TA090 TA091	Bradycardia - dual chamber pacemakers (partially updated by TA324) Cartilage injury - autologous chondrocyte implantation (ACI) Vascular disease - clopidogrel and dipyridamole (replaced by TA210) Ovarian cancer (advanced) - paclitaxel, pegylated liposomal doxorubicin hydrochloride and topotecan (replaced by TA389)	Feb-05 May-05 May-05 May-05	No Superseded Guidance No	Guidance is not applicable to WMUH Superseded Guidance Guidance is not applicable to WMUH
TA086 TA087 TA088 TA089 TA090 TA091 TA092	Bradycardia - dual chamber pacemakers (partially updated by TA324) Cartilage injury - autologous chondrocyte implantation (ACI) Vascular disease - clopidogrel and dipyridamole (replaced by TA210) Ovarian cancer (advanced) - paclitaxel, pegylated liposomal doxorubicin hydrochloride and topotecan (replaced by TA389) Tooth decay - HealOzone	Feb-05 May-05 May-05 May-05	No Superseded Guidance No No	Guidance is not applicable to WMUH Superseded Guidance Guidance is not applicable to WMUH Not recommended
TA086 TA087 TA088 TA089 TA090 TA091 TA092 TA093	Bradycardia - dual chamber pacemakers (partially updated by TA324) Cartilage injury - autologous chondrocyte implantation (ACI) Vascular disease - clopidogrel and dipyridamole (replaced by TA210) Ovarian cancer (advanced) - paclitaxel, pegylated liposomal doxorubicin hydrochloride and topotecan (replaced by TA389)	Feb-05 May-05 May-05 May-05	No Superseded Guidance No	Guidance is not applicable to WMUH Superseded Guidance Guidance is not applicable to WMUH

	Hepatitis B (chronic) - adefovir dipivoxil and pegylated interferon alpha-2a (partially updated by CG165)	Feb-06	No	Guidance is not applicable to WMUH
TA097	Depression and anxiety - computerised cognitive behavioural therapy (CCBT)	Feb-06	No	Guidance is not applicable to WMUH
TA098	Attention deficit hyperactivity disorder (ADHD) - methylphenidate, atomoxetine and dexamfetamine	Mar-06	No	Guidance is not applicable to WMUH
TA099	Renal transplantation - immunosuppressive regimens for children and adolescents	Apr-06	No	Guidance is not applicable to WMUH
TA100 TA101	Colon cancer (adjuvant) - capecitabine and oxaliplatin Prostate cancer (hormone-refractory) - docetaxel	Apr-06 Jun-06	No No	Guidance is not applicable to WMUH Guidance is not applicable to WMUH
TA102	Conduct disorder in children - parent-training/education programmes (replaced by CG158)	Jul-06	Superseded Guidance	Superseded Guidance
TA103	Psoriasis - efalizumab and etanercept	Jul-06	No	Guidance is not applicable to WMUH
TA104 TA105	Psoriatic arthritis - etanercept and infliximab (replaced by TA199) Colorectal cancer - laparoscopic surgery	Jul-06 Aug-06	Superseded Guidance Yes	Superseded Guidance Fully implemented
TA106	Hepatitis C - peginterferon alfa and ribavirin (Guidance extension of TA75)	Aug-06	No	Guidance is not applicable to WMUH
TA107	Breast cancer (early) - trastuzumab (replaced by CG80)	Aug-06	Superseded Guidance	Superseded Guidance
TA108 TA109	Breast cancer (early) - paclitaxel (replaced by CG80) Breast cancer (early) - docetaxel (replaced by CG80)	Sep-06 Sep-06	Superseded Guidance Superseded Guidance	Superseded Guidance Superseded Guidance
TA110	Follicular lymphoma - rituximab (replaced by TA243)	Sep-06	Superseded Guidance	Superseded Guidance
TA111	Alzheimer's disease - donepezil, galantamine, rivastigmine (review) and memantine (replaced by TA217)	Sep-06	Superseded Guidance	Superseded Guidance
TA112	Breast cancer (early) - hormonal treatments	Nov-06	No	Guidance is not applicable to WMUH
TA113	Diabetes (type 1 and 2) - inhaled insulin	Dec-06	No	Production ceased
TA114 TA115	Drug misuse - methadone and buprenorphine Drug misuse - naltrexone	Jan-07 Jan-07	No No	Guidance is not applicable to WMUH Guidance is not applicable to WMUH
TA116	Breast cancer - gemcitabine	Jan-07	No	Guidance is not applicable to WMUH
TA117	Hyperparathyroidism - cinacalcet	Jan-07	No	Guidance is not applicable to WMUH
TA118 TA119	Colorectal cancer (metastatic) - bevacizumab & cetuximab (partly updated by TA242) Leukaemia (lymphocytic) - fludarabine	Jan-07 Feb-07	No Yes	Guidance is not applicable to WMUH Fully implemented
TA120	Heart failure - cardiac resynchronisation	May-07	No	Guidance is not applicable to WMUH
TA121	Glioma (newly diagnosed and high grade) - carmustine implants and temozolomide	Jun-07	No	Guidance is not applicable to WMUH
TA122 TA123	Ischaemic stroke (acute) - alteplase Smoking cessation - varenicline	Jun-07 Jul-07	No Yes	Guidance is not applicable to WMUH Fully implemented
	Lung cancer (non-small-cell) - pemetrexed	Aug-07	No	Guidance is not applicable to WMUH
TA125	Psoriatic arthritis (moderate to severe) - adalimumab (replaced by TA199)	Aug-07	Superseded Guidance	Superseded Guidance
TA126 TA127	Rheumatoid arthritis (refractory) - rituximab (replaced by TA195) Multiple sclerosis - natalizumab	Aug-07 Aug-07	Superseded Guidance No	Superseded Guidance Guidance is not applicable to WMUH
TA128	Stapled haemorrhoidopexy for the treatment of haemorrhoids	Sep-07	Yes	Fully implemented
TA129	Multiple myeloma - bortezomib	Oct-07	Yes	Fully implemented
TA130 TA131	Rheumatoid arthritis - adalimumab, etanercept and infliximab (replaced by NICE TA375) Asthma (in children) - corticosteroids	Oct-07 Nov-07	Superseded Guidance Yes	Superseded Guidance Fully implemented
TA131	Hypercholesterolaemia - ezetimibe (replaced by TA385)	Nov-07	Superseded Guidance	Superseded Guidance
TA133	Asthma (uncontrolled) - omalizumab (replaced by TA278)	Nov-07	Superseded Guidance	Superseded Guidance
TA134	Psoriasis - infliximab Mesatholioma - nemetroyed disadium	Jan-08 Jan-08	Yes No	Fully implemented
TA135 TA136	Mesothelioma - pemetrexed disodium Structural neuroimaging in first-episode psychosis	Feb-08	No	Guidance is not applicable to WMUH Not recommended
TA137	Lymphoma (follicular non-Hodgkin's) - rituximab	Feb-08	Yes	Fully implemented
TA138	Asthma (in adults) - corticosteroids	Mar-08	Yes	Fully implemented
TA139 TA140	Continuous positive airway pressure (CPAP) for the treatment of obstructive sleep apnoea/hypopnoea Ulcerative colitis (subacute manifestations) - infliximab (replaced by TA329)	Mar-08 Apr-08	Yes Superseded Guidance	Fully implemented Superseded Guidance
TA141	Rheumatoid arthritis (refractory) - abatacept (replaced by TA195)	Apr-08	Superseded Guidance	Superseded Guidance
TA142 TA143	Anaemia (cancer-treatment induced) - erythropoietin (alpha and beta) and darbepoetin (replaced by TA323) Ankylosing spondylitis - adalimumab, etanercept and infliximab (replaced by TA383)	May-08 May-08	Superseded Guidance Superseded Guidance	Superseded Guidance Superseded Guidance
TA144	Obesity - rimonabant	Jun-08	Terminated Appraisal	Terminated Appraisal
TA145	Head and neck cancer - cetuximab	Jun-08	No	Guidance is not applicable to WMUH
TA146 TA147	Psoriasis - adalimumab Breast cancer (advanced & metastatic) - bevacizumab (terminated appraisal)	Jun-08 Jun-08	Yes Terminated Appraisal	Fully implemented Terminated Appraisal
TA148	Lung cancer (non-small-cell) - bevacizumab (terminated appraisal)	Jun-08	Terminated Appraisal	Terminated Appraisal
TA149	Glioma (recurrent) - carmustine implants (terminated appraisal)	Jun-08	Terminated Appraisal	Terminated Appraisal
TA150 TA151	Colorectal cancer (metastatic) - cetuximab (terminated appraisal) Continuous Subcutaneous insulin infusion for the treatment of diabtetes mellitus	Jun-08	Terminated Appraisal Yes	Terminated Appraisal Fully implemented
TA152		Jul-08		
	Coronary artery disease - drug-eluting stents	Jul-08 Jul-08	No	Guidance is not applicable to WMUH
	Hepatitis B - entecavir	Jul-08 Aug-08	No No	Guidance is not applicable to WMUH Not recommended
TA154	Hepatitis B - entecavir Hepatitis B - telbivudine	Jul-08 Aug-08 Aug-08	No No No	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH
TA154 TA155	Hepatitis B - entecavir	Jul-08 Aug-08	No No	Guidance is not applicable to WMUH Not recommended
TA154 TA155 TA156 TA157	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08	No No No No Yes Yes	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented
TA155 TA156 TA157 TA158	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08	No No No No Yes Yes Yes	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Fully implemented
TA154 TA155 TA156 TA157 TA158 TA159	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08	No No No No Yes Yes	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented
TA154 TA155 TA156 TA157 TA158 TA159 TA160	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08	No No No No Yes Yes Yes Yes No Yes	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented
TA154 TA155 TA156 TA157 TA158 TA159 TA160	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08	No No No No Yes Yes Yes Yes Yes Yes No Yes	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Fully implemented Fully implemented
ΓΑ154 ΓΑ155 ΓΑ156 ΓΑ157 ΓΑ158 ΓΑ159 ΓΑ160 ΓΑ161	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374)	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Oct-08 Oct-08 Oct-08	No No No No Yes Yes Yes Yes Yes Superseded Guidance	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance
ΓΑ154 ΓΑ155 ΓΑ156 ΓΑ157 ΓΑ158 ΓΑ159 ΓΑ160 ΓΑ161	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08	No No No No Yes Yes Yes Yes Yes Yes No Yes	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH
TA154 TA155 TA156 TA157 TA158 TA159 TA160 TA161 TA161 TA162 TA163 TA164 TA165	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Oct-08 Dec-08 Dec-08 Nov-08	No No No No Yes Yes Yes Yes Yes Superseded Guidance Yes No No No	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH
TA154 TA155 TA156 TA157 TA158 TA159 TA160 TA161 TA161 TA162 TA163 TA164 TA165 TA166	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Nov-08 Dec-08 Nov-08 Jan-09	No No No No No Yes Yes Yes Yes Yes Superseded Guidance Yes No No No No	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Guidance is not applicable to WMUH
TA154 TA155 TA156 TA157 TA158 TA159 TA160 TA161 TA161 TA162 TA163 TA164 TA165 TA166 TA166	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Oct-08 Dec-08 Dec-08 Nov-08	No No No No Yes Yes Yes Yes Yes Superseded Guidance Yes No No No	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH
TA154 TA155 TA156 TA157 TA158 TA159 TA160 TA161 TA162 TA163 TA164 TA165 TA166 TA166 TA167 TA168 TA169	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Nov-08 Dec-08 Dec-08 Nov-08 Jan-09 Feb-09 Feb-09 Mar-09	No No No No No Yes Yes Yes Yes No Yes Superseded Guidance Yes No	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH
TA154 TA155 TA156 TA157 TA158 TA159 TA160 TA161 TA161 TA162 TA163 TA164 TA165 TA166 TA166 TA167 TA168 TA169 TA170	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib Venous thromboembolism - rivaroxaban	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Nov-08 Dec-08 Dec-08 Nov-08 Jan-09 Feb-09 Mar-09 Apr-09	No No No No No No Yes Yes Yes Yes No Yes Superseded Guidance Yes No No No No No No No Yes	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented
TA154 TA155 TA156 TA157 TA158 TA159 TA160 TA161 TA161 TA162 TA163 TA164 TA165 TA166 TA166 TA167 TA168 TA169 TA170 TA171	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Nov-08 Dec-08 Dec-08 Nov-08 Jan-09 Feb-09 Feb-09 Mar-09	No No No No No Yes Yes Yes Yes No Yes Superseded Guidance Yes No	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH
TA154 TA155 TA156 TA157 TA158 TA159 TA160 TA161 TA161 TA162 TA163 TA164 TA165 TA166 TA167 TA168 TA169 TA169 TA170 TA171 TA172 TA173	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib Venous thromboembolism - rivaroxaban Multiple myeloma - lenalidomide Head and neck cancer (squamous cell carcinoma) - cetuximab Hepatitis B - tenofovir disoproxil fumarate	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Nov-08 Dec-08 Dec-08 Nov-08 Jan-09 Feb-09 Feb-09 Jun-09 Jun-09 Jul-09	No No No No No No Yes Yes Yes Yes Yes Yes Superseded Guidance Yes No Yes No	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Fully implemented Fully implemented Not recommended Guidance is not applicable to WMUH
ΓΑ154 ΓΑ155 ΓΑ156 ΓΑ157 ΓΑ158 ΓΑ159 ΓΑ160 ΓΑ161 ΓΑ162 ΓΑ163 ΓΑ164 ΓΑ165 ΓΑ166 ΓΑ167 ΓΑ168 ΓΑ169 ΓΑ170 ΓΑ171 ΓΑ172 ΓΑ173 ΓΑ174	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib Venous thromboembolism - rivaroxaban Multiple myeloma - lenalidomide Head and neck cancer (squamous cell carcinoma) - cetuximab Hepatitis B - tenofovir disoproxil fumarate Leukaemia (chronic lymphocytic, first line) - rituximab	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Oct-08 Dec-08 Dec-08 Jan-09 Feb-09 Feb-09 Mar-09 Jun-09 Jun-09 Jul-09 Jul-09	No No No No No No Yes Yes Yes Yes Yes No Yes Superseded Guidance Yes No No No No No No No Yes No No Yes	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Not recommended Guidance is not applicable to WMUH Fully implemented
ΓΑ154 ΓΑ155 ΓΑ156 ΓΑ157 ΓΑ158 ΓΑ159 ΓΑ160 ΓΑ161 ΓΑ162 ΓΑ163 ΓΑ164 ΓΑ165 ΓΑ166 ΓΑ167 ΓΑ168 ΓΑ169 ΓΑ170 ΓΑ171 ΓΑ172 ΓΑ173 ΓΑ174 ΓΑ175	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib Venous thromboembolism - rivaroxaban Multiple myeloma - lenalidomide Head and neck cancer (squamous cell carcinoma) - cetuximab Hepatitis B - tenofovir disoproxil fumarate	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Nov-08 Dec-08 Dec-08 Nov-08 Jan-09 Feb-09 Feb-09 Jun-09 Jun-09 Jul-09	No No No No No No Yes Yes Yes Yes Yes Yes Superseded Guidance Yes No Yes No	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH
TA154 TA155 TA156 TA157 TA158 TA159 TA160 TA161 TA162 TA163 TA164 TA165 TA166 TA167 TA168 TA169 TA170 TA171 TA172 TA173 TA174 TA175 TA176 TA177	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib Venous thromboembolism - rivaroxaban Multiple myeloma - lenalidomide Head and neck cancer (squamous cell carcinoma) - cetuximab Hepatitis B - tenofovir disoproxil fumarate Leukaemia (chronic lymphocytic, first line) - rituximab Lung cancer (non-small-cell, second line) - gefitinib (replaced by TA374) Colorectal cancer (first line) - cetuximab Eczema (chronic) - alitretinoin	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Oct-08 Dec-08 Dec-08 Jan-09 Feb-09 Feb-09 Jun-09 Jun-09 Jul-09 Jul-09 Jul-09 Aug-09 Aug-09 Aug-09	No No No No No Yes Yes Yes Yes No Yes Superseded Guidance Yes No No No No No No No Yes Yes No Yes No Yes No Yes No Yes No Yes No Yes Yes No Yes No Yes Yes	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented Not recommended Guidance is not applicable to WMUH Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented
TA154 TA155 TA156 TA157 TA158 TA159 TA160 TA161 TA161 TA162 TA163 TA164 TA165 TA166 TA167 TA168 TA169 TA170 TA171 TA172 TA173 TA174 TA175 TA175 TA176 TA177	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib Venous thromboembolism - rivaroxaban Multiple myeloma - lenalidomide Head and neck cancer (squamous cell carcinoma) - cetuximab Hepatitis B - tenofovir disoproxil fumarate Leukaemia (chronic lymphocytic, first line) - rituximab Lung cancer (non-small-cell, second line) - gefitinib (replaced by TA374) Colorectal cancer (first line) - cetuximab Eczema (chronic) - alitretinoin Renal cell carcinoma	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Oct-08 Dec-08 Dec-08 Jan-09 Feb-09 Mar-09 Jun-09 Jun-09 Jul-09 Jul-09 Jul-09 Jul-09 Aug-09 Aug-09 Aug-09 Aug-09	No No No No No Yes Yes Yes Yes No Yes Superseded Guidance Yes No No No No No No No Yes Ves Superseded Guidance Yes No No No No No Yes No Yes No Yes No Yes No Yes No No No No Yes No No No Yes No No No No No No Yes No No No No No No No No Yes No	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Fully implemented Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Not recommended Guidance is not applicable to WMUH Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented
TA154 TA155 TA156 TA157 TA158 TA159 TA160 TA161 TA162 TA163 TA164 TA165 TA166 TA167 TA168 TA169 TA170 TA171 TA172 TA173 TA171 TA172 TA173 TA174 TA175 TA176 TA177 TA178 TA179	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib Venous thromboembolism - rivaroxaban Multiple myeloma - lenalidomide Head and neck cancer (squamous cell carcinoma) - cetuximab Hepatitis B - tenofovir disoproxil fumarate Leukaemia (chronic lymphocytic, first line) - rituximab Lung cancer (non-small-cell, second line) - gefitinib (replaced by TA374) Colorectal cancer (first line) - cetuximab Eczema (chronic) - alitretinoin	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Oct-08 Dec-08 Dec-08 Jan-09 Feb-09 Feb-09 Jun-09 Jun-09 Jul-09 Jul-09 Jul-09 Aug-09 Aug-09 Aug-09	No No No No No Yes Yes Yes Yes No Yes Superseded Guidance Yes No No No No No No No Yes Yes No Yes No Yes No Yes No Yes No Yes No Yes Yes No Yes No Yes Yes	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented Not recommended Guidance is not applicable to WMUH Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented
ΓΑ154 ΓΑ155 ΓΑ156 ΓΑ157 ΓΑ158 ΓΑ159 ΓΑ160 ΓΑ161 ΓΑ161 ΓΑ162 ΓΑ163 ΓΑ164 ΓΑ165 ΓΑ166 ΓΑ167 ΓΑ168 ΓΑ169 ΓΑ170 ΓΑ171 ΓΑ172 ΓΑ173 ΓΑ174 ΓΑ175 ΓΑ175 ΓΑ176 ΓΑ177 ΓΑ178 ΓΑ179 ΓΑ180 ΓΑ181	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib Venous thromboembolism - rivaroxaban Multiple myeloma - lenalidomide Head and neck cancer (squamous cell carcinoma) - cetuximab Hepatitis B - tenofovir disoproxil fumarate Leukaemia (chronic lymphocytic, first line) - rituximab Lung cancer (non-small-cell, second line) - gefitinib (replaced by TA374) Colorectal cancer (first line) - cetuximab Eczema (chronic) - alitretinoin Renal cell carcinoma Gastrointestinal stromal tumours - sunitinib Psoriasis - ustekinumab Lung cancer (non-small cell, first line treatment) - pemetrexed	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Oct-08 Dec-08 Dec-08 Jan-09 Feb-09 Feb-09 Jul-09 Jul-09 Jul-09 Jul-09 Jul-09 Jul-09 Aug-09 Aug-09 Aug-09 Sep-09 Sep-09	No No No No No No Yes Yes Yes Yes No Yes Superseded Guidance Yes No No No No No No Yes Yes No Yes No No Yes No Yes No Yes No Yes No No Yes No No Yes No No Yes No	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Fully implemented Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented
ΓΑ154 ΓΑ155 ΓΑ156 ΓΑ157 ΓΑ158 ΓΑ159 ΓΑ160 ΓΑ161 ΓΑ162 ΓΑ163 ΓΑ164 ΓΑ165 ΓΑ166 ΓΑ167 ΓΑ168 ΓΑ169 ΓΑ170 ΓΑ171 ΓΑ172 ΓΑ173 ΓΑ174 ΓΑ175 ΓΑ178 ΓΑ178 ΓΑ178 ΓΑ178 ΓΑ178 ΓΑ179 ΓΑ180 ΓΑ181 ΓΑ182	Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib Venous thromboembolism - rivaroxaban Multiple myeloma - lenalidomide Head and neck cancer (squamous cell carcinoma) - cetuximab Hepatitis B - tenofovir disoproxil fumarate Leukaemia (chronic lymphocytic, first line) - rituximab Lung cancer (non-small-cell, second line) - gefitinib (replaced by TA374) Colorectal cancer (first line) - cetuximab Eczema (chronic) - alitretinoin Renal cell carcinoma Gastrointestinal stromal tumours - sunitinib Psoriasis - ustekinumab Lung cancer (non-small cell, first line treatment) - pemetrexed Acute coronary syndrome - prasugrel (replaced by TA317)	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Oct-08 Dec-08 Dec-08 Jan-09 Feb-09 Feb-09 Jun-09 Jun-09 Jul-09 Jul-09 Jul-09 Jul-09 Aug-09 Aug-09 Aug-09 Sep-09 Sep-09 Sep-09 Sep-09	No No No No No No Yes Yes Yes Yes No Yes Superseded Guidance Yes No No No No No No Yes Yes No No Yes No Yes No No Yes No No Yes No No Yes No No No Yes Superseded Guidance No Yes No No Superseded Guidance No Yes Superseded Guidance No Yes Superseded Guidance No Yes Superseded Guidance No Yes No No Superseded Guidance	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented
ΓΑ154 ΓΑ155 ΓΑ156 ΓΑ157 ΓΑ158 ΓΑ159 ΓΑ160 ΓΑ161 ΓΑ162 ΓΑ163 ΓΑ164 ΓΑ165 ΓΑ166 ΓΑ167 ΓΑ168 ΓΑ169 ΓΑ170 ΓΑ171 ΓΑ172 ΓΑ173 ΓΑ174 ΓΑ175 ΓΑ176 ΓΑ177 ΓΑ178 ΓΑ178 ΓΑ178 ΓΑ179 ΓΑ180 ΓΑ181 ΓΑ182 ΓΑ183	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib Venous thromboembolism - rivaroxaban Multiple myeloma - lenalidomide Head and neck cancer (squamous cell carcinoma) - cetuximab Hepatitis B - tenofovir disoproxil fumarate Leukaemia (chronic lymphocytic, first line) - rituximab Lung cancer (non-small-cell, second line) - gefitinib (replaced by TA374) Colorectal cancer (first line) - cetuximab Eczema (chronic) - alitretinoin Renal cell carcinoma Gastrointestinal stromal tumours - sunitinib Psoriasis - ustekinumab Lung cancer (non-small cell, first line treatment) - pemetrexed	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Oct-08 Dec-08 Dec-08 Jan-09 Feb-09 Feb-09 Jul-09 Jul-09 Jul-09 Jul-09 Jul-09 Jul-09 Aug-09 Aug-09 Aug-09 Sep-09 Sep-09	No No No No No No Yes Yes Yes Yes No Yes Superseded Guidance Yes No No No No No No Yes Yes No Yes No No Yes No Yes No Yes No Yes No No Yes No No Yes No No Yes No	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Fully implemented Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented
ΓΑ154 ΓΑ155 ΓΑ156 ΓΑ157 ΓΑ158 ΓΑ159 ΓΑ160 ΓΑ161 ΓΑ162 ΓΑ163 ΓΑ164 ΓΑ165 ΓΑ166 ΓΑ167 ΓΑ168 ΓΑ169 ΓΑ170 ΓΑ171 ΓΑ172 ΓΑ173 ΓΑ174 ΓΑ175 ΓΑ174 ΓΑ175 ΓΑ176 ΓΑ177 ΓΑ178	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib Venous thromboembolism - rivaroxaban Multiple myeloma - lenalidomide Head and neck cancer (squamous cell carcinoma) - cetuximab Hepatitis B - tenofovir disoproxil fumarate Leukaemia (chronic lymphocytic, first line) - rituximab Lung cancer (non-small-cell, second line) - gefitinib (replaced by TA374) Colorectal cancer (first line) - cetuximab Eczema (chronic) - alitretinoin Renal cell carcinoma Gastrointestinal stromal tumours - sunitinib Psoriasis - ustekinumab Lung cancer (non-small cell, first line treatment) - pemetrexed Acute coronary syndrome - prasugrel (replaced by TA317) Cervical cancer (first line) - topotecan Soft tissue sarcoma - trabectedin	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Oct-08 Dec-08 Dec-08 Dec-08 Jan-09 Feb-09 Feb-09 Jul-09 Jul-09 Jul-09 Jul-09 Jul-09 Aug-09 Aug-09 Aug-09 Sep-09 Sep-09 Sep-09 Oct-09 Nov-09 Feb-10	No No No No No No Yes Yes Yes Yes Yes No Yes Superseded Guidance Yes No No No No No No No Yes No Yes Yes No Yes No Yes No Yes No No Yes Superseded Guidance Yes No No No Yes No No Superseded Guidance No Yes Superseded Guidance No Yes Superseded Guidance No Yes No No No No Yes Superseded Guidance No Yes No No No No Yes No	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Fully implemented Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Not recommended Guidance is not applicable to WMUH Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH
ΓΑ154 ΓΑ155 ΓΑ156 ΓΑ157 ΓΑ158 ΓΑ159 ΓΑ160 ΓΑ161 ΓΑ162 ΓΑ163 ΓΑ164 ΓΑ165 ΓΑ166 ΓΑ167 ΓΑ168 ΓΑ169 ΓΑ170 ΓΑ171 ΓΑ172 ΓΑ173 ΓΑ174 ΓΑ175 ΓΑ177 ΓΑ178 ΓΑ177 ΓΑ178 ΓΑ178 ΓΑ179 ΓΑ180 ΓΑ181 ΓΑ182 ΓΑ183 ΓΑ184 ΓΑ185 ΓΑ186	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib Venous thromboembolism - rivaroxaban Multiple myeloma - lenalidomide Head and neck cancer (squamous cell carcinoma) - cetuximab Hepatitis B - tenofovir disoproxil fumarate Leukaemia (chronic lymphocytic, first line) - rituximab Lung cancer (non-small-cell, second line) - gefitinib (replaced by TA374) Colorectal cancer (first line) - cetuximab Eczema (chronic) - alitretinoin Renal cell carcinoma Gastrointestinal stromal tumours - sunitinib Psoriasis - ustekinumab Lung cancer (non-small cell, first line treatment) - pemetrexed Acute coronary syndrome - prasugrel (replaced by TA317) Cervical cancer (recurrent) - topotecan Soft tissue sarcoma - trabectedin Rheumatoid arthritis - certolizumab pegol (replaced by TA375)	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Oct-08 Dec-08 Dec-08 Dec-08 Jan-09 Feb-09 Mar-09 Jul-09 Jul-09 Jul-09 Jul-09 Jul-09 Jul-09 Sep-09 Sep-09 Sep-09 Oct-09 Oct-09 Nov-09 Feb-10 Feb-10	No No No No No No Yes Yes Yes Yes No Yes Superseded Guidance Yes No No No No No No Yes No Yes Ves No Yes No Yes No Yes No Yes No Yes Superseded Guidance No Yes No No No No No No Superseded Guidance No Yes Superseded Guidance No Yes No No Yes Superseded Guidance No Yes No No No Yes No No No Yes No No No Superseded Guidance No No Superseded Guidance No No Superseded Guidance	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Fully implemented Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Superseded Guidance Guidance is not applicable to WMUH Guidance is not applicable to WMUH Superseded Guidance Guidance is not applicable to WMUH Guidance is not applicable to WMUH Superseded Guidance
TA154 TA155 TA156 TA157 TA158 TA159 TA160 TA161 TA162 TA163 TA164 TA165 TA166 TA167 TA168 TA169 TA170 TA171 TA172 TA173 TA174 TA175 TA176 TA177 TA178 TA177 TA178 TA178 TA179 TA180 TA181 TA182 TA183 TA184 TA185 TA186 TA187	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib Venous thromboembolism - rivaroxaban Multiple myeloma - lenalidomide Head and neck cancer (squamous cell carcinoma) - cetuximab Hepatitis B - tenofovir disoproxil fumarate Leukaemia (chronic lymphocytic, first line) - rituximab Lung cancer (non-small-cell, second line) - gefitinib (replaced by TA374) Colorectal cancer (first line) - cetuximab Eczema (chronic) - alitretinoin Renal cell carcinoma Gastrointestinal stromal tumours - sunitinib Psoriasis - ustekinumab Lung cancer (non-small cell, first line treatment) - pemetrexed Acute coronary syndrome - prasugrel (replaced by TA317) Cervical cancer (first line) - topotecan Soft tissue sarcoma - trabectedin	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Oct-08 Dec-08 Dec-08 Dec-08 Jan-09 Feb-09 Feb-09 Jul-09 Jul-09 Jul-09 Jul-09 Jul-09 Aug-09 Aug-09 Aug-09 Sep-09 Sep-09 Sep-09 Oct-09 Nov-09 Feb-10	No No No No No No Yes Yes Yes Yes Yes No Yes Superseded Guidance Yes No No No No No No No Yes No Yes Yes No Yes No Yes No Yes No No Yes Superseded Guidance Yes No No No Yes No No Superseded Guidance No Yes Superseded Guidance No Yes Superseded Guidance No Yes No No No No Yes Superseded Guidance No Yes No No No No Yes No	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Fully implemented Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Superseded Guidance Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Not recommended Guidance is not applicable to WMUH Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH
TA154 TA155 TA156 TA157 TA158 TA159 TA160 TA161 TA162 TA163 TA164 TA165 TA166 TA167 TA168 TA169 TA170 TA171 TA172 TA173 TA174 TA175 TA176 TA177 TA178 TA179 TA180 TA181	Hepatitis B - entecavir Hepatitis B - telbivudine Macular degeneration (age-related) - ranibizumab and pegaptanib Pregnancy (rhesus negative women) - routine anti-D (review) Venous thromboembolism - dabigatran Influenza (prophylaxis) - amantadine, oseltamivir and zanamivir Pain (chronic neuropathic or ischaemic) - spinal cord stimulation Alendronate, etidronate, risedronate, raloxifene and strontium ranelate for the primary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Alendronate, etidronate, risedronate, raloxifene, strontium ranelate and teriparatide for the secondary prevention of osteoporotic fragility fractures in postmenopausal women Lung cancer (non-small-cell) - erlotinib (replaced by TA374) Ulcerative colitis (acute exacerbations) - infliximab Hyperuricaemia - febuxostat Organ preservation (renal) - machine perfusion and static storage Hearing impairment - cochlear implants Abdominal aortic aneurysm - endovascular stent-grafts Influenza - zanamivir, amantadine and oseltamivir (review) Renal cell carcinoma - sunitinib Venous thromboembolism - rivaroxaban Multiple myeloma - lenalidomide Head and neck cancer (squamous cell carcinoma) - cetuximab Hepatitis B - tenofovir disoproxil fumarate Leukaemia (chronic ymphocytic, first line) - rituximab Lung cancer (non-small-cell, second line) - gefitinib (replaced by TA374) Colorectal cancer (first line) - cetuximab Eczema (chronic) - alitretinoin Renal cell carcinoma Gastrointestinal stromal tumours - sunitinib Psoriasis - ustekinumab Lung cancer (non-small cell, first line treatment) - pemetrexed Acute coronary syndrome - prasugrel (replaced by TA317) Cervical cancer (recurrent) - topotecan Soft tissue sarcoma - trabectediin Rheumatoid arthritis - certolizumab pegol (replaced by TA375) Crohn's disease - infliximab (review) and adalimumab	Jul-08 Aug-08 Aug-08 Aug-08 Aug-08 Sep-08 Sep-08 Oct-08 Oct-08 Oct-08 Dec-08 Dec-08 Dec-08 Jan-09 Feb-09 Feb-09 Jul-09 Jul-09 Jul-09 Jul-09 Jul-09 Jul-09 Aug-09 Aug-09 Aug-09 Sep-09 Sep-09 Sep-09 Oct-09 Oct-09 Nov-09 Feb-10 Feb-10 Feb-10 Feb-10	No No No No No No Yes Yes Yes Yes Yes No Yes Superseded Guidance Yes No No No No No Yes No No Yes Yes No No Yes No No Yes Yes No No Yes Superseded Guidance No Yes Superseded Guidance No Yes Superseded Guidance No Yes Superseded Guidance No Yes No No Yes Superseded Guidance No Yes No No Superseded Guidance No Superseded Guidance No Superseded Guidance No No Superseded Guidance No No Superseded Guidance No No Superseded Guidance Yes	Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Guidance is not applicable to WMUH Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Fully implemented Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Fully implemented Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented Superseded Guidance Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Superseded Guidance Guidance is not applicable to WMUH Guidance is not applicable to WMUH Superseded Guidance Guidance is not applicable to WMUH Guidance is not applicable to WMUH

TA192 TA193	Lung cancer (non-small-cell, first line) - gefitinib Leukaemia (chronic lymphocytic, relapsed) - rituximab	Jul-10 Jul-10	No Yes	Guidance is not applicable to WMUH Fully implemented
TA194	Bone loss (therapy-induced) in non-metastatic prostate cancer - denosumab (terminated appraisal)	Jul-10	Terminated Appraisal	Terminated Appraisal
A195	Rheumatoid arthritis - drugs for treatment after failure of a TNF inhibitor Gastrointestinal stromal tumours - imatinib (adjuvant) (replaced by TA 326)	Aug-10	Yes Superseded Guidance	Fully implemented Superseded Guidance
A196 A197	Atrial fibrillation - dronedarone	Aug-10 Aug-10	Yes	Fully implemented
A198	Rheumatoid arthritis - tocilizumab (replaced by TA247)	Aug-10	Superseded Guidance	Superseded Guidance
A199 A200	Psoriatic arthritis - etanercept, infliximab and adalimumab Hepatitis C - peginterferon alfa and ribavirin	Aug-10 Sep-10	Yes No	Fully implemented Guidance is not applicable to WMUH
A201	Asthma (in children) - omalizumab (replaced by TA278)	Oct-10	Superseded Guidance	Superseded Guidance
A202 A203	Chronic lymphocytic leukaemia - ofatumumab Liraglutide for the treatment of type 2 diabetes mellitus (replaced by NG28)	Oct-10 Oct-10	Yes Superseded Guidance	Not recommended Superseded Guidance
TA203	Osteoporotic fractures - denosumab	Oct-10	Yes	Fully implemented
TA205	Thrombocytopenic purpura - eltrombopag (replaced by TA293)	Oct-10	Superseded Guidance	Superseded Guidance
ΓA206 ΓA207	Lymphoma (non-Hodgkins) - Bendamustine Mantle Cell Lymphoma (relapsed) - Temsirolimus	Oct-10 Oct-10	Terminated Appraisal Terminated Appraisal	Terminated Appraisal Terminated Appraisal
TA208	Gastric cancer (HER2-positive metastatic) - trastuzumab	Nov-10	No	Guidance is not applicable to WMUH
ΓA209 ΓA210	Gastrointestinal stromal tumours (unresectable/metastatic) - imatinib Clopidogrel and modified-release dipyridamole for the prevention of occlusive vascular events (This	Nov-10 Dec-10	No Yes	Guidance is not applicable to WMUH Fully implemented
ΓA211	Constipation (women) - prucalopride	Dec-10	Yes	Fully implemented
TA212	Colorectal cancer (metastatic) - bevacizumab	Dec-10	Yes No	Not recommended
TA213 TA214	Schizophrenia - aripiprazole Breast cancer - bevacizumab (in combination with a taxane)	Jan-11 Feb-11	Yes	Guidance is not applicable to WMUH Not recommended
A215	Renal cell carcinoma (first line metastatic) - pazopanib	Feb-11	No	Guidance is not applicable to WMUH
A216 A217	Leukaemia (lymphocytic) - bendamustine Alzheimer's disease - donepezil, galantamine, rivastigmine and memantine	Feb-11 Mar-11	No Yes	Guidance is not applicable to WMUH Fully implemented
A218	Myelodysplastic syndromes - azacitidine	Mar-11	Yes	Fully implemented
A219 A220	Everolimus for the second-line treatment of advanced renal cell carcinoma Psoriatic arthritis - golimumab	Apr-11 Apr-11	No Yes	Guidance is not applicable to WMUH Fully implemented
A221		Apr-11	Yes	Fully implemented
A222	Ovarian cancer (relapsed) - trabectedin (replaced by TA389)	Apr-11	Superseded Guidance	Superseded Guidance
A223	Peripheral arterial disease - cilostazol, naftidrofyryl oxalate, pentoxifylline and inositol nicotinate	May-11	No	Guidance is not applicable to WMUH
A224	Rheumatoid arthritis (methotrexate-naïve) - golimumab (terminated appraisal)	Jun-11	Terminated Appraisal	Terminated Appraisal
TA225 TA226	Rheumatoid arthritis (after the failure of previous anti-rheumatic drugs) - golimumab Lymphoma (follicular non-Hodgkin's) - rituximab	Jun-11 Jun-11	Yes Yes	Fully implemented Fully implemented
A227	Lung cancer (non-small-cell, advanced or metastatic maintenance treatment) - erlotinib (monotherapy)	Jun-11	No	Not recommended
ГА228	Multiple myeloma (first line) - bortezomib and thalidomide	Jul-11	Yes	Fully implemented
TA228	Macular oedema (retinal vein occlusion) - dexamethasone	Jul-11 Jul-11	No	Guidance is not applicable to WMUH
TA230	Myocardial infarction (persistent ST-segment elevation) - bivalirudin	Jul-11	No	Guidance is not applicable to WMUH
ΓA231 ΓA232	Depression - agomelatine (terminated appraisal) Epilepsy (partial) - retigabine (adjuvant)	Jul-11 Jul-11	Terminated Appraisal Yes	Terminated Appraisal Fully implemented
ΓA233	Ankylosing spondylitis - golimumab (replaced by TA383)	Aug-11	Superseded Guidance	Superseded Guidance
ΓA234 ΓA235	Rheumatoid arthritis - abatacept (replaced by TA280) Osteosarcoma - mifamurtide/ Mifamurtide for the treatment of osteosarcoma	Aug-11 Oct-11	Superseded Guidance No	Superseded Guidance Guidance is not applicable to WMUH
TA236	Acute coronary syndromes - ticagrelor	Oct-11	Yes	Fully implemented
ΓA237	Macular oedema (diabetic) - ranibizumab (replaced by TA274)	Nov-11	Superseded Guidance	Superseded Guidance
ΓA238 ΓA239	Arthritis (juvenile idiopathic, systemic) - tocilizumab Breast cancer (metastatic) - fulvestrant	Dec-11 Dec-11	Yes Yes	Fully implemented Not recommended
ΓA240	Colorectal cancer (metastatic) - pantitumumab	Dec-11	Terminated Appraisal	Terminated Appraisal
ΓA241	Dasatinib, high-dose imatinib and nilotinib for the treatment of imatinib-resistant chronic myeloid leukaemia (CML) (part review of NICE technology appraisal guidance 70), and dasatinib and nilotinib for	Jan-12	Yes	Fully implemented
	people with CML for whom treatment with imatini			
ΓA242 ΓA243	Cetuximab, bevacizumab and panitumumab for the treatment of metastatic colorectal cancer after first-Rituximab for the first-line treatment of stage III-IV follicular lymphoma (review of TA110)	Jan-12 Jan-12	No Yes	Not recommended Fully implemented
ΓA244	Roflumilast for the management of severe chronic obstructive pulmonary disease	Jan-12	No	Guidance is not applicable to WMUH
TA245	Apixaban for the prevention of venous thromboembolism after total hip or knee replacement in adults	Jan-12	Yes	Fully implemented
ΓA246 ΓA247	Venom anaphylaxis - immunotherapy pharmalgen Rheumatoid arthritis - tocilizumab	Feb-12 Feb-12	No Yes	Guidance is not applicable to WMUH Fully implemented
TA248	Diabetes (type 2) - exenatide (prolonged release) (replaced by NG28)	Feb-12	Superseded Guidance	Superseded Guidance
ΓA249 ΓA250	Atrial fibrillation - dabigatran etexilate Breast Cancer (advanced) - eribulin	Mar-12 Apr-12	Yes Yes	Fully implemented Not recommended
ΓA251	Leukaemia (chronic myeloid, first line) - dasatinib, nilotinib and standard dose imatinib	Apr-12	Yes	Fully implemented
TA252	Hepatitis C (genotype 1) - teleprevir	Apr-12	No	Guidance is not applicable to WMUH
ΓA253 ΓA254	Hepatitis C (genotype 1) - boceprevir Multiple sclerosis (relapsing-remitting) - fingolimod	Apr-12 Apr-12	No No	Guidance is not applicable to WMUH Guidance is not applicable to WMUH
TA255	Prostate cancer - cabazitaxel (replaced by TA391)	May-12	Superseded Guidance	Superseded Guidance
TA256 TA257	Atrial fibrillation (stroke prevention) - rivaroxaban Breast cancer (metastatic hormone-receptor) - lapatinib and trastuzumab (with aromatase inhibitor)	May-12 Jun-12	Yes Yes	Fully implemented Not recommended
		- J		
TA258	Lung cancer (non small cell, EGFR-TK mutation positive) - erlotinib (1st line) Prostate cancer (metastatic castration resistant) - abjraterone (following cytoxic therapy)	Jun-12	No No	Guidance is not applicable to WMUH
A259 A260	Prostate cancer (metastatic, castration resistant) - abiraterone (following cytoxic therapy) Migraine (chronic) - botulinum toxin type A	Jun-12 Jun-12	No No	Guidance is not applicable to WMUH Guidance is not applicable to WMUH
A261	Venous thromboembolism (treatment and long term secondary prevention) - rivaroxaban	Jul-12	Yes	Fully implemented
A262	Ulcerative colitis (moderate to severe, second line) - adalimumab (replaced by TA329)	Jul-12	Superseded Guidance Yes	Superseded Guidance Not recommended
A263	Bevacizumab in combination with capecitabine for the first-line treatment of metastatic breast capeer	Aug-12	103	
	Bevacizumab in combination with capecitabine for the first-line treatment of metastatic breast cancer	Aug-12	103	
A264	Stroke (acute, ischaemic) - alteplase	Sep-12	No	Guidance is not applicable to WMUH
A264 A265				
A264 A265 A266 A267	Stroke (acute, ischaemic) - alteplase Bone metastases from solid tumours - denosumab Cystic fibrosis - mannitol dry powder for inhalation Chronic heart failure - ivabradine	Sep-12 Oct-12 Nov-12 Nov-12	No Yes No Yes	Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented
A264 A265 A266 A267 A268	Stroke (acute, ischaemic) - alteplase Bone metastases from solid tumours - denosumab Cystic fibrosis - mannitol dry powder for inhalation Chronic heart failure - ivabradine Melanoma (stage III or IV) - ipilimumab	Sep-12 Oct-12 Nov-12 Nov-12 Dec-12	No Yes No	Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH
A264 A265 A266 A267 A268 A269 A270	Stroke (acute, ischaemic) - alteplase Bone metastases from solid tumours - denosumab Cystic fibrosis - mannitol dry powder for inhalation Chronic heart failure - ivabradine Melanoma (stage III or IV) - ipilimumab Melanoma (BRAF V600 mutation positive, unresectable metastatic) - vemurafenib Leukaemia (acute myeloid) - decitabine (terminated appraisal)	Sep-12 Oct-12 Nov-12 Nov-12 Dec-12 Dec-12 Dec-12	No Yes No Yes No No Terminated Appraisal	Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Terminated Appraisal
A264 A265 A266 A267 A268 A269 A270	Stroke (acute, ischaemic) - alteplase Bone metastases from solid tumours - denosumab Cystic fibrosis - mannitol dry powder for inhalation Chronic heart failure - ivabradine Melanoma (stage III or IV) - ipilimumab Melanoma (BRAF V600 mutation positive, unresectable metastatic) - vemurafenib Leukaemia (acute myeloid) - decitabine (terminated appraisal) Diabetic macular oedema - fluocinolone acetonide intravitreal implant (replaced by TA301)	Sep-12 Oct-12 Nov-12 Nov-12 Dec-12 Dec-12 Dec-12 Jan-13	No Yes No Yes No No Terminated Appraisal Superseded Guidance	Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Terminated Appraisal Superseded Guidance
A264 A265 A266 A267 A268 A269 A270 A271	Stroke (acute, ischaemic) - alteplase Bone metastases from solid tumours - denosumab Cystic fibrosis - mannitol dry powder for inhalation Chronic heart failure - ivabradine Melanoma (stage III or IV) - ipilimumab Melanoma (BRAF V600 mutation positive, unresectable metastatic) - vemurafenib Leukaemia (acute myeloid) - decitabine (terminated appraisal) Diabetic macular oedema - fluocinolone acetonide intravitreal implant (replaced by TA301) Urothelial tract carcinoma (transitional cell, advanced, metastatic) - vinflunine Hyperplasia (benign prostatic) - tadalafil (terminated appraisal)	Sep-12 Oct-12 Nov-12 Nov-12 Dec-12 Dec-12 Dec-12	No Yes No Yes No No Terminated Appraisal	Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Terminated Appraisal
A264 A265 A266 A267 A268 A269 A270 A271 A272 A273	Stroke (acute, ischaemic) - alteplase Bone metastases from solid tumours - denosumab Cystic fibrosis - mannitol dry powder for inhalation Chronic heart failure - ivabradine Melanoma (stage III or IV) - ipilimumab Melanoma (BRAF V600 mutation positive, unresectable metastatic) - vemurafenib Leukaemia (acute myeloid) - decitabine (terminated appraisal) Diabetic macular oedema - fluocinolone acetonide intravitreal implant (replaced by TA301) Urothelial tract carcinoma (transitional cell, advanced, metastatic) - vinflunine Hyperplasia (benign prostatic) - tadalafil (terminated appraisal) Macular oedema (diabetic) - ranibizumab	Sep-12 Oct-12 Nov-12 Nov-12 Dec-12 Dec-12 Dec-12 Jan-13 Jan-13 Jan-13 Feb-13	No Yes No Yes No No Terminated Appraisal Superseded Guidance No Terminated Appraisal No	Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Terminated Appraisal Superseded Guidance Not recommended Terminated Appraisal Guidance is not applicable to WMUH
FA264 FA265 FA266 FA267 FA268 FA270 FA271 FA272 FA273 FA274 FA275	Stroke (acute, ischaemic) - alteplase Bone metastases from solid tumours - denosumab Cystic fibrosis - mannitol dry powder for inhalation Chronic heart failure - ivabradine Melanoma (stage III or IV) - ipilimumab Melanoma (BRAF V600 mutation positive, unresectable metastatic) - vemurafenib Leukaemia (acute myeloid) - decitabine (terminated appraisal) Diabetic macular oedema - fluocinolone acetonide intravitreal implant (replaced by TA301) Urothelial tract carcinoma (transitional cell, advanced, metastatic) - vinflunine Hyperplasia (benign prostatic) - tadalafil (terminated appraisal) Macular oedema (diabetic) - ranibizumab Stroke and systemic embolism (prevention, non-valvular atrial fibrillation) - apixaban	Sep-12 Oct-12 Nov-12 Nov-12 Dec-12 Dec-12 Jan-13 Jan-13 Jan-13 Feb-13	No Yes No Yes No No Terminated Appraisal Superseded Guidance No Terminated Appraisal	Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Terminated Appraisal Superseded Guidance Not recommended Terminated Appraisal Guidance is not applicable to WMUH Fully implemented
FA264 FA265 FA266 FA267 FA268 FA269 FA270 FA271 FA272 FA273 FA274 FA275 FA276	Stroke (acute, ischaemic) - alteplase Bone metastases from solid tumours - denosumab Cystic fibrosis - mannitol dry powder for inhalation Chronic heart failure - ivabradine Melanoma (stage III or IV) - ipilimumab Melanoma (BRAF V600 mutation positive, unresectable metastatic) - vemurafenib Leukaemia (acute myeloid) - decitabine (terminated appraisal) Diabetic macular oedema - fluocinolone acetonide intravitreal implant (replaced by TA301) Urothelial tract carcinoma (transitional cell, advanced, metastatic) - vinflunine Hyperplasia (benign prostatic) - tadalafil (terminated appraisal) Macular oedema (diabetic) - ranibizumab Stroke and systemic embolism (prevention, non-valvular atrial fibrillation) - apixaban Cystic fibrosis (pseudomonas lung infection) - colistimethate sodium and tobramycin Methylnaltrexone for treating opioid-induced bowel dysfunction in people with advanced illness	Sep-12 Oct-12 Nov-12 Nov-12 Dec-12 Dec-12 Dec-12 Jan-13 Jan-13 Jan-13 Feb-13	No Yes No Yes No No Terminated Appraisal Superseded Guidance No Terminated Appraisal No Yes	Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Terminated Appraisal Superseded Guidance Not recommended Terminated Appraisal Guidance is not applicable to WMUH
FA264 FA265 FA266 FA267 FA268 FA269 FA270 FA271 FA272 FA273 FA274 FA275 FA276 FA277	Stroke (acute, ischaemic) - alteplase Bone metastases from solid tumours - denosumab Cystic fibrosis - mannitol dry powder for inhalation Chronic heart failure - ivabradine Melanoma (stage III or IV) - ipilimumab Melanoma (BRAF V600 mutation positive, unresectable metastatic) - vemurafenib Leukaemia (acute myeloid) - decitabine (terminated appraisal) Diabetic macular oedema - fluocinolone acetonide intravitreal implant (replaced by TA301) Urothelial tract carcinoma (transitional cell, advanced, metastatic) - vinflunine Hyperplasia (benign prostatic) - tadalafil (terminated appraisal) Macular oedema (diabetic) - ranibizumab Stroke and systemic embolism (prevention, non-valvular atrial fibrillation) - apixaban Cystic fibrosis (pseudomonas lung infection) - colistimethate sodium and tobramycin Methylnaltrexone for treating opioid-induced bowel dysfunction in people with advanced illness receiving palliative care (terminated appraisal)	Sep-12 Oct-12 Nov-12 Nov-12 Dec-12 Dec-12 Jan-13 Jan-13 Feb-13 Feb-13 Mar-13 Mar-13	No Yes No Yes No No Terminated Appraisal Superseded Guidance No Terminated Appraisal No Yes No Terminated Appraisal	Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Terminated Appraisal Superseded Guidance Not recommended Terminated Appraisal Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Terminated Appraisal
FA264 FA265 FA266 FA267 FA268 FA269 FA270 FA271 FA272 FA273 FA275 FA276 FA277	Stroke (acute, ischaemic) - alteplase Bone metastases from solid tumours - denosumab Cystic fibrosis - mannitol dry powder for inhalation Chronic heart failure - ivabradine Melanoma (stage III or IV) - ipilimumab Melanoma (BRAF V600 mutation positive, unresectable metastatic) - vemurafenib Leukaemia (acute myeloid) - decitabine (terminated appraisal) Diabetic macular oedema - fluocinolone acetonide intravitreal implant (replaced by TA301) Urothelial tract carcinoma (transitional cell, advanced, metastatic) - vinflunine Hyperplasia (benign prostatic) - tadalafil (terminated appraisal) Macular oedema (diabetic) - ranibizumab Stroke and systemic embolism (prevention, non-valvular atrial fibrillation) - apixaban Cystic fibrosis (pseudomonas lung infection) - colistimethate sodium and tobramycin Methylnaltrexone for treating opioid-induced bowel dysfunction in people with advanced illness receiving palliative care (terminated appraisal) Asthma (severe, persistent, patients aged 6+, adults) - omalizumab	Sep-12 Oct-12 Nov-12 Nov-12 Dec-12 Dec-12 Jan-13 Jan-13 Jan-13 Feb-13 Feb-13 Mar-13 Mar-13	No Yes No Yes No No Terminated Appraisal Superseded Guidance No Terminated Appraisal No Yes No Terminated Appraisal No Yes No Terminated Appraisal	Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Terminated Appraisal Superseded Guidance Not recommended Terminated Appraisal Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Terminated Appraisal Guidance is not applicable to WMUH Terminated Appraisal
FA264 FA265 FA266 FA268 FA269 FA270 FA271 FA272 FA273 FA274 FA275 FA276 FA277	Stroke (acute, ischaemic) - alteplase Bone metastases from solid tumours - denosumab Cystic fibrosis - mannitol dry powder for inhalation Chronic heart failure - ivabradine Melanoma (stage III or IV) - ipilimumab Melanoma (BRAF V600 mutation positive, unresectable metastatic) - vemurafenib Leukaemia (acute myeloid) - decitabine (terminated appraisal) Diabetic macular oedema - fluocinolone acetonide intravitreal implant (replaced by TA301) Urothelial tract carcinoma (transitional cell, advanced, metastatic) - vinflunine Hyperplasia (benign prostatic) - tadalafil (terminated appraisal) Macular oedema (diabetic) - ranibizumab Stroke and systemic embolism (prevention, non-valvular atrial fibrillation) - apixaban Cystic fibrosis (pseudomonas lung infection) - colistimethate sodium and tobramycin Methylnaltrexone for treating opioid-induced bowel dysfunction in people with advanced illness receiving palliative care (terminated appraisal)	Sep-12 Oct-12 Nov-12 Nov-12 Dec-12 Dec-12 Jan-13 Jan-13 Feb-13 Feb-13 Mar-13 Mar-13	No Yes No Yes No No Terminated Appraisal Superseded Guidance No Terminated Appraisal No Yes No Terminated Appraisal	Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Terminated Appraisal Superseded Guidance Not recommended Terminated Appraisal Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Terminated Appraisal
TA264 TA265 TA266 TA267 TA268 TA269 TA270 TA271 TA272 TA273 TA275 TA276 TA277 TA278 TA278 TA279 TA280 TA281	Stroke (acute, ischaemic) - alteplase Bone metastases from solid tumours - denosumab Cystic fibrosis - mannitol dry powder for inhalation Chronic heart failure - ivabradine Melanoma (stage III or IV) - ipilimumab Melanoma (BRAF V600 mutation positive, unresectable metastatic) - vemurafenib Leukaemia (acute myeloid) - decitabine (terminated appraisal) Diabetic macular oedema - fluocinolone acetonide intravitreal implant (replaced by TA301) Urothelial tract carcinoma (transitional cell, advanced, metastatic) - vinflunine Hyperplasia (benign prostatic) - tadalafil (terminated appraisal) Macular oedema (diabetic) - ranibizumab Stroke and systemic embolism (prevention, non-valvular atrial fibrillation) - apixaban Cystic fibrosis (pseudomonas lung infection) - colistimethate sodium and tobramycin Methylnaltrexone for treating opioid-induced bowel dysfunction in people with advanced illness receiving palliative care (terminated appraisal) Asthma (severe, persistent, patients aged 6+, adults) - omalizumab Vertebral fractures - vertebroplasty and kyphoplasty Rheumatoid arthritis - abatacept (2nd line) (replaced by TA375) Gout - canakinumab (terminated appraisal)	Sep-12 Oct-12 Nov-12 Nov-12 Dec-12 Dec-12 Jan-13 Jan-13 Feb-13 Feb-13 Mar-13 Mar-13 Apr-13 Apr-13 Apr-13	No Yes No Yes No No Terminated Appraisal Superseded Guidance No Terminated Appraisal No Yes No Terminated Appraisal No Yes No Terminated Appraisal No Terminated Appraisal	Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Terminated Appraisal Superseded Guidance Not recommended Terminated Appraisal Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Terminated Appraisal Guidance is not applicable to WMUH Terminated Appraisal Guidance is not applicable to WMUH Terminated Appraisal
TA263 TA264 TA265 TA265 TA266 TA267 TA268 TA269 TA270 TA271 TA272 TA273 TA274 TA275 TA276 TA277 TA278 TA279 TA280 TA281 TA282 TA283	Stroke (acute, ischaemic) - alteplase Bone metastases from solid tumours - denosumab Cystic fibrosis - mannitol dry powder for inhalation Chronic heart failure - ivabradine Melanoma (stage III or IV) - ipilimumab Melanoma (BRAF V600 mutation positive, unresectable metastatic) - vemurafenib Leukaemia (acute myeloid) - decitabine (terminated appraisal) Diabetic macular oedema - fluocinolone acetonide intravitreal implant (replaced by TA301) Urothelial tract carcinoma (transitional cell, advanced, metastatic) - vinflunine Hyperplasia (benign prostatic) - tadalafil (terminated appraisal) Macular oedema (diabetic) - ranibizumab Stroke and systemic embolism (prevention, non-valvular atrial fibrillation) - apixaban Cystic fibrosis (pseudomonas lung infection) - colistimethate sodium and tobramycin Methylnaltrexone for treating opioid-induced bowel dysfunction in people with advanced illness receiving palliative care (terminated appraisal) Asthma (severe, persistent, patients aged 6+, adults) - omalizumab Vertebral fractures - vertebroplasty and kyphoplasty Rheumatoid arthritis - abatacept (2nd line) (replaced by TA375)	Sep-12 Oct-12 Nov-12 Nov-12 Dec-12 Dec-12 Jan-13 Jan-13 Feb-13 Feb-13 Mar-13 Mar-13 Apr-13 Apr-13	No Yes No Yes No No Terminated Appraisal Superseded Guidance No Terminated Appraisal No Yes No Terminated Appraisal No Yes No Terminated Appraisal No Superseded Guidance	Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Guidance is not applicable to WMUH Terminated Appraisal Superseded Guidance Not recommended Terminated Appraisal Guidance is not applicable to WMUH Fully implemented Guidance is not applicable to WMUH Terminated Appraisal Guidance is not applicable to WMUH Terminated Appraisal

		May-13	No	Not recommended
A286	partially platinum-sensitive) - bevacizumab Schizophrenia or bipolar disorder - loxapine inhalation (terminated appraisal)	May-13	Terminated Appraisal	Terminated Appraisal
1287	Pulmonary embolism and recurrent venous thromboembolism - rivaroxaban	Jun-13	Yes	Fully implemented
.288 .289	Type 2 diabetes - Dapagliflozin combination therapy Myelofibrosis (splenomegaly, symptoms) - ruxolitinib (replaced by TA386)	Jun-13	Yes	Fully implemented Superseded Guidance
289 290	Overactive bladder - mirabegron	Jun-13 Jun-13	Superseded Guidance Yes	Fully implemented
291	Gout (tophaceous, severe debilitating, chronic) - pegloticase	Jun-13	Yes	Not recommended
292 293	Bipolar disorder (children) - aripiprazole	Jul-13 Jul-13	No Yes	Guidance is not applicable to WMUH Fully implemented
293 294	Thrombocytopenic purpura - eltrombopag Macular degeneration (wet age-related) - aflibercept (1st line)	Jul-13 Jul-13	No	Guidance is not applicable to WMUH
295		Aug-13	Yes	Not recommended
296	Lung cancer (non-small-cell, anaplastic lymphoma kinase fusion gene, previously treated) - crizotinib	Sep-13	No	Not recommended
297 298	Vitreomacular traction - ocriplasmin Choroidal neovascularisation (pathological myopia) - ranibizumab	Oct-13 Nov-13	No No	Guidance is not applicable to WMUH Guidance is not applicable to WMUH
299	Leukaemia (chronic myeloid) - bosutinib	Nov-13	Yes	Not recommended
00	Hepatitis C (children and young people) - peginterferon alfa and ribavirin	Nov-13	No	Guidance is not applicable to WMUH
01 02	Diabetic macular oedema - fluocinolone acetonide intravitreal implant Juvenile idiopathic arthritis (systemic) - canakinumab (terminated appraisal)	Nov-13 Nov-13	No Terminated Appraisal	Guidance is not applicable to WMUH Terminated Appraisal
03	Multiple sclerosis (relapsing) - teriflunomide	Jan-14	No	Guidance is not applicable to WMUH
04	Arthritis of the hip (end stage) - hip replacement (total) and resurfacing arthroplasty (Rev TA2, TA44)	Feb-14	Yes	Fully implemented
05	Macular oedema (central retinal vein occlusion) - aflibercept solution for injection	Feb-14	No	Guidance is not applicable to WMUH
06	Lymphoma (non Hodgkin's, relapsed, refractory) - pixantrone monotherapy	Feb-14	Yes	Fully implemented
07 08	Colorectal cancer (metastatic) - aflibercept Vasculitis (anti-neutrophil cytoplasmic antibody-associated) - rituximab (with glucocorticoids)	Mar-14 Mar-14	No Yes	Not recommended Fully implemented
	vascantis (and neutropini cytopiasinic antibody associated) internitia (with glacocorticolas)	liviai 11		i any implemented
	Lung cancer (non small cell, non squamous) - pemetrexed	Apr-14	No	Not recommended
10 11	Lung cancer (non small cell, EGFR mutation positive) - afatinib Multiple myeloma - bortezomib (induction therapy)	Apr-14 Apr-14	No Yes	Guidance is not applicable to WMUH Fully implemented
12	Alemtuzumab for Treating Relapsing Remitting Multiple Sclerosis	May-14	No	Guidance is not applicable to WMUH
13	Ustekinumab for Treating Active Psoriatic Arthritis (replaced by TA340)	May-14	Superseded Guidance	Superseded Guidance
14	Implantable Cardioverter Defibrillators and Cardiac ReSynchronisation Therapy for Arrhythmias & Heart Canadifforing in combination therapy for treating Type 2 Diabetes		Not discussed at DTC	Fully implemented
15 16	Canagliflozin in combination therapy for treating Type 2 Diabetes Enzalutamide for metastatic hormone relapsed prostate cancer previously treated with a docetaxel	Jun-14	Yes	Fully implemented Guidance is not applicable to WMUH
	containing regimen	Jul-14	No	· ·
17 18	Prasugrel with percutaneous coronary intervention for treating acute coronary syndromes Lubiprostone for treating chronic idiopathic constipation	Jul-14 Jul-14	Yes Yes	Fully implemented Fully implemented
19	Ipilimumab for previously untreated advanced (unresectable or metastatic) melanoma	Jul-14	No	Guidance is not applicable to WMUH
20	Dimethyl fumarate for treating relapsing remitting multiple sclerosis	Aug-14	No	Guidance is not applicable to WMUH
21 22	Dabrafenib for treating unresectable or metastatic BRAF V600 mutation-positive melanoma Lenalidomide for treating myelodysplastic syndromes associated with an isolated deletion 5q	Oct-14	No	Guidance is not applicable to WMUH Fully implemented
22	cytogenetic abnormality	Sep-14	Yes	rully implemented
23	Erythropoiesis – stimulating agents for treating anaemia in people with cancer	Nov-14	Yes	Guidance is not applicable to WMUH
24	Dual chamber pacemakers for symptomatic bradycardia due to sick sinus syndrome without atrioventricular block	Nov-14	Not discussed at DTC	
25	Nalmefene for reducing alcohol consumption in people with alcohol dependence	Nov-14	No	Guidance is not applicable to WMUH
26	Imantinib for the adjuvant treatment of gastrointestinal stromal tumours	Nov-14	No	Guidance is not applicable to WMUH
27	Dabigatran etexilate for the treatment and secondary prevention of deep vein thrombosis and/ or pulmonary embolism	Dec-14	Yes	Fully implemented
28	Idelalisib for treating follicular lymphoma that is refractory to 2 prior treatments	Dec-14 Dec-14	Terminated Appraisal	Terminated Appraisal
	Infliximab, adalimumab and golimumab for treating moderately to severely active ulcerative colitis			
29 30	after the failure of conventional therapy Sofosbuvir for treating chronic hepatitis	Feb-15 Feb-15	Yes No	Fully implemented Guidance is not applicable to WMUH
30	Simeprevir in combination with peginterferon alfa and ribavirin for treating genotypes 1 and 4 chronic	Feb-13	NO	dudance is not applicable to wiwon
31	hepatitis C	Feb-15	No	Guidance is not applicable to WMUH
32	Sipuleucel-T for treating asymptomatic or minimally symptomatic metastatic hormone-relapsed prostate cancer	Feb-15	Terminated Appraisal	Terminated Appraisal
33	Axitinib for treating advanced renal cell carcinoma after failure of prior systemic treatment	Feb-15	No	Guidance is not applicable to WMUH
34	Regorafenib for metastatic colorectal cancer after treatment for metastatic disease	Feb-15	Terminated Appraisal	Terminated Appraisal
)E	Bivarovahan for proventing adverse outcomes after acute management of acute coronary cyndrome	N/or 15	Vas	Eully implemented
	·	Mar-15 Mar-15	Yes Yes	Fully implemented Fully implemented
36	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy	Mar-15 Mar-15 Mar-15	Yes Yes Yes	Fully implemented Fully implemented Fully implemented
36 37	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and	Mar-15 Mar-15	Yes Yes	Fully implemented Fully implemented
36 37 38	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib	Mar-15	Yes	Fully implemented Fully implemented Not recommended
36 37 38 39	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis	Mar-15 Mar-15 Mar-15	Yes Yes	Fully implemented Fully implemented
36 37 38 39 40	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary	Mar-15 Mar-15 Mar-15 Jun-15 Jun-15	Yes Yes Yes Yes Yes	Fully implemented Fully implemented Not recommended Fully implemented Fully implemented
36 37 38 39 40	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15	Yes Yes Yes Yes Yes Yes Yes	Fully implemented Fully implemented Not recommended Fully implemented Fully implemented Fully implemented
36 37 38 39 40	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary	Mar-15 Mar-15 Mar-15 Jun-15 Jun-15	Yes Yes Yes Yes Yes	Fully implemented Fully implemented Not recommended Fully implemented Fully implemented
36 37 38 39 40 41 42	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15	Yes Yes Yes Yes Yes Yes Yes	Fully implemented Fully implemented Not recommended Fully implemented Fully implemented Fully implemented
36 37 38 39 40 41 42	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15	Yes Yes Yes Yes Yes Yes Yes Yes Yes	Fully implemented Fully implemented Not recommended Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented
36 37 38 39 40 41 42 43	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15	Yes Yes Yes Yes Yes Yes Yes Yes	Fully implemented Fully implemented Not recommended Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented
36 37 38 39 40 41 42 43 44	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15	Yes	Fully implemented Fully implemented Not recommended Fully implemented
36 37 38 39 40 41 42 43 44 45 46	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jul-15 Jul-15	Yes	Fully implemented Fully implemented Not recommended Fully implemented Guidance is not applicable to WMUH
36 37 38 39 40 41 42 43 44 45 46	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15	Yes	Fully implemented Fully implemented Not recommended Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented
36 37 38 39 40 41 42 43 45 46 47 48 49	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer Everolimus for preventing organ rejection in liver transplantation Dexamethasone intravitreal implant for treating diabetic macular oedema	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15	Yes Yes Yes Yes Yes Yes Yes Yes Yes No No No No No	Fully implemented Fully implemented Not recommended Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH
36 37 38 39 40 41 42 43 44 45 46 47 48 49	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer Everolimus for preventing organ rejection in liver transplantation	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jul-15 Jul-15 Jul-15	Yes Yes Yes Yes Yes Yes Yes Yes Yes No No No	Fully implemented Fully implemented Not recommended Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Guidance is not applicable to WMUH Not recommended
36 37 38 39 40 41 42 43 44 45 46 47 48 49	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer Everolimus for preventing organ rejection in liver transplantation Dexamethasone intravitreal implant for treating diabetic macular oedema	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15	Yes Yes Yes Yes Yes Yes Yes Yes Yes No No No No No	Fully implemented Fully implemented Not recommended Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH
36 37 38 39 40 41 42 43 44 45 46 47 48 49 50	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer Everolimus for preventing organ rejection in liver transplantation Dexamethasone intravitreal implant for treating diabetic macular oedema Secukinumab for treating moderate to severe plaque psoriasis Cangrelor for reducing atherothrombotic events in people undergoing percutaneous coronary intervention or awaiting surgery requiring interruption of anti-platelet therapy (terminated appraisal)	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15	Yes Yes Yes Yes Yes Yes Yes Yes Yes No No No No No	Fully implemented Fully implemented Not recommended Fully implemented Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Fully implemented
36 37 38 39 40 41 42 43 44 45 46 47 48 49 50	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer Everolimus for preventing organ rejection in liver transplantation Dexamethasone intravitreal implant for treating diabetic macular oedema Secukinumab for treating moderate to severe plaque psoriasis Cangrelor for reducing atherothrombotic events in people undergoing percutaneous coronary intervention or awaiting surgery requiring interruption of anti-platelet therapy (terminated appraisal) Vedolizumab for treating moderately to severely active Crohn's disease after prior therapy	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15	Yes Yes Yes Yes Yes Yes Yes Yes Yes No No No No No No Yes	Fully implemented Fully implemented Not recommended Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Fully implemented
36 37 38 39 40 41 42 43 44 45 46 47 48 49 50	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer Everolimus for preventing organ rejection in liver transplantation Dexamethasone intravitreal implant for treating diabetic macular oedema Secukinumab for treating moderate to severe plaque psoriasis Cangrelor for reducing atherothrombotic events in people undergoing percutaneous coronary intervention or awaiting surgery requiring interruption of anti-platelet therapy (terminated appraisal) Vedolizumab for treating moderately to severely active Crohn's disease after prior therapy Bevacizumab for treating relapsed, platinum-resistant epithelial ovarian, fallopian tube or primary	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jul-15	Yes	Fully implemented Fully implemented Not recommended Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Fully implemented Terminated Appraisal Fully implemented
36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer Everolimus for preventing organ rejection in liver transplantation Dexamethasone intravitreal implant for treating diabetic macular oedema Secukinumab for treating moderate to severe plaque psoriasis Cangrelor for reducing atherothrombotic events in people undergoing percutaneous coronary intervention or awaiting surgery requiring interruption of anti-platelet therapy (terminated appraisal) Vedolizumab for treating moderately to severely active Crohn's disease after prior therapy	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15	Yes	Fully implemented Fully implemented Not recommended Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Fully implemented Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Fully implemented Terminated Appraisal
336 337 338 339 340 341 342 343 344 345 346 347 348 349 350	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer Everolimus for preventing organ rejection in liver transplantation Dexamethasone intravitreal implant for treating diabetic macular oedema Secukinumab for treating moderate to severe plaque psoriasis Cangrelor for reducing atherothrombotic events in people undergoing percutaneous coronary intervention or awaiting surgery requiring interruption of anti-platelet therapy (terminated appraisal) Vedolizumab for treating moderately to severely active Crohn's disease after prior therapy Bevacizumab for treating relapsed, platinum-resistant epithelial ovarian, fallopian tube or primary periotoneal cancer (terminated appraisal) Edoxaban for treating and for preventing deep vein thrombosis and pulmonary embolism	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Aug-15 Aug-15 Aug-15	Yes	Fully implemented Fully implemented Not recommended Fully implemented Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Fully implemented Terminated Appraisal Fully implemented Terminated Appraisal Fully implemented
36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer Everolimus for preventing organ rejection in liver transplantation Dexamethasone intravitreal implant for treating diabetic macular oedema Secukinumab for treating moderate to severe plaque psoriasis Cangrelor for reducing atherothrombotic events in people undergoing percutaneous coronary intervention or awaiting surgery requiring interruption of anti-platelet therapy (terminated appraisal) Vedolizumab for treating moderately to severely active Crohn's disease after prior therapy Bevacizumab for treating relapsed, platinum-resistant epithelial ovarian, fallopian tube or primary periotoneal cancer (terminated appraisal)	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Aug-15 Aug-15 Aug-15 Sep-15	Yes	Fully implemented Fully implemented Not recommended Fully implemented Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Fully implemented Terminated Appraisal Fully implemented Fully implemented Terminated Appraisal Fully implemented Fully implemented Fully implemented
336 337 338 339 340 341 342 343 344 345 346 347 348 349 350	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer Everolimus for preventing organ rejection in liver transplantation Dexamethasone intravitreal implant for treating diabetic macular oedema Secukinumab for treating moderate to severe plaque psoriasis Cangrelor for reducing atherothrombotic events in people undergoing percutaneous coronary intervention or awaiting surgery requiring interruption of anti-platelet therapy (terminated appraisal) Vedolizumab for treating moderately to severely active Crohn's disease after prior therapy Bevacizumab for treating relapsed, platinum-resistant epithelial ovarian, fallopian tube or primary periotoneal cancer (terminated appraisal) Edoxaban for treating and for preventing deep vein thrombosis and pulmonary embolism	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Aug-15 Aug-15 Aug-15	Yes	Fully implemented Fully implemented Not recommended Fully implemented Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Fully implemented Terminated Appraisal Fully implemented Terminated Appraisal Fully implemented
36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer Everolimus for preventing organ rejection in liver transplantation Dexamethasone intravitreal implant for treating diabetic macular oedema Secukinumab for treating moderate to severe plaque psoriasis Cangrelor for reducing atherothrombotic events in people undergoing percutaneous coronary intervention or awaiting surgery requiring interruption of anti-platelet therapy (terminated appraisal) Vedolizumab for treating moderately to severely active Crohn's disease after prior therapy Bevacizumab for treating relapsed, platinum-resistant epithelial ovarian, fallopian tube or primary periotoneal cancer (terminated appraisal) Edoxaban for treating and for preventing deep vein thrombosis and pulmonary embolism Edoxaban for treating and for preventing deep vein thrombosis and pulmonary embolism Edoxaban for treating advanced melanoma after disease progression with ipilimumab Tolvaptan for treating autosomal dominant polycystic kidney disease	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Sul-15 Aug-15 Aug-15 Aug-15 Sep-15 Oct-15	Yes	Fully implemented Fully implemented Not recommended Fully implemented Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Fully implemented Terminated Appraisal Fully implemented Terminated Appraisal Fully implemented Fully implemented Terminated Appraisal Fully implemented Fully implemented
335 336 337 338 339 340 341 342 343 344 345 346 348 349 350 351 352 353 354 355 355 356 357 358 359	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer Everolimus for preventing organ rejection in liver transplantation Dexamethasone intravitreal implant for treating diabetic macular oedema Secukinumab for treating moderate to severe plaque psoriasis Cangrelor for reducing atherothrombotic events in people undergoing percutaneous coronary intervention or awaiting surgery requiring interruption of anti-platelet therapy (terminated appraisal) Vedolizumab for treating moderately to severely active Crohn's disease after prior therapy Bevacizumab for treating relapsed, platinum-resistant epithelial ovarian, fallopian tube or primary periotoneal cancer (terminated appraisal) Edoxaban for treating and for preventing deep vein thrombosis and pulmonary embolism Edoxaban for treating and for preventing deep vein thrombosis and pulmonary embolism Edoxaban for treating advanced melanoma after disease progression with ipilimumab Tolvaptan for treating autosomal dominant polycystic kidney disease	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Aug-15 Aug-15 Aug-15 Sep-15 Sep-15 Sep-15	Yes	Fully implemented Fully implemented Not recommended Fully implemented Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Fully implemented Terminated Appraisal Fully implemented Terminated Appraisal Fully implemented Fully implemented Terminated Appraisal Fully implemented Fully implemented Fully implemented Fully implemented
36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58	Empagliflozin in combination therapy for treating type 2 diabetes Rifaximin for preventing episodes of overt hepatic encephalopathy Pomalidomide for relapsed and refractory multiple myeloma previously treated with lenalidomide and bortezomib Omalizumab for previously treated chronic spontaneous urticaria Ustekinumab for treating active psoriatic arthritis Apixaban for the treatment and secondary prevention of deep vein thrombosis and/or pulmonary embolism Vedolizumab for treating moderately to severely active ulcerative colitis Obinutuzumab in combination with chlorambucil for untreated chronic lymphocytic leukaemia Ofatumumab in combination with chlorambucil or bendamustine for untreated chronic lymphocytic leukaemia Naloxegol for treating opioid-induced constipation Aflibercept for treating diabetic macular oedema Nintedanib for previously treated locally advanced, metastatic, or locally recurrent non-small-cell lung cancer Everolimus for preventing organ rejection in liver transplantation Dexamethasone intravitreal implant for treating diabetic macular oedema Secukinumab for treating moderate to severe plaque psoriasis Cangrelor for reducing atherothrombotic events in people undergoing percutaneous coronary intervention or awaiting surgery requiring interruption of anti-platelet therapy (terminated appraisal) Vedolizumab for treating moderately to severely active Crohn's disease after prior therapy Bevacizumab for treating moderately to severely active Crohn's disease after prior therapy Bevacizumab for treating adepending interruption of anti-platelet therapy (terminated appraisal) Vedolizumab for treating and for preventing deep vein thrombosis and pulmonary embolism Edoxaban for preventing stroke and systemic embolism in people with non-valvular atrial fibrillation Ruxolitinib for treating advanced melanoma after disease progression with ipilimumab Tolvaptan for treating advanced melanoma after disease progression with ipilimumab Tolvaptan for treating chronic lymphocytic leukaemia Paclitaxel as albumi	Mar-15 Mar-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jun-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Jul-15 Sul-15 Aug-15 Aug-15 Aug-15 Sep-15 Oct-15	Yes	Fully implemented Fully implemented Not recommended Fully implemented Guidance is not applicable to WMUH Not recommended Guidance is not applicable to WMUH Fully implemented Terminated Appraisal Fully implemented Terminated Appraisal Fully implemented Fully implemented Terminated Appraisal Fully implemented Fully implemented

TA362	Paclitaxel as albumin-bound nanoparticles with carboplatin for untreated non-small-cell lung cancer	Oct-15	Terminated Appraisal	Terminated Appraisal
TA363	Ledipasvir-sofosbuvir for treating chronic hepatitis C	Nov-15	No	Guidance is not applicable to WMUH
TA364	Daclatasvir for treating chronic hepatitis C	Nov-15	No	Guidance is not applicable to WMUH
TA365	Ombitasvir-paritaprevir-ritonavir with or without dasabuvir for treating chronic hepatitis C	Nov-15	No	Guidance is not applicable to WMUH
TA366	Pembrolizumab for advanced melanoma not previously treated with ipilimumab	Nov-15	No	Guidance is not applicable to WMUH
TA367	Vortioxetine for treating major depressive episodes	Nov-15	No	Guidance is not applicable to WMUH
TA368	Apremilast for treating moderate to severe plaque psoriasis	Nov-15	Yes	Not recommended
TA369	Ciclosporin for treating dry eye disease that has not improved despite treatment with artificial tears	Dec-15	No	Guidance is not applicable to WMUH
TA370	Bortezomib for previously untreated mantle cell lymphoma	Dec-15	Yes	Fully implemented
	Trastuzumab emtansine for treating HER2-positive, unresectable locally advanced or metastatic breast			,,
TA371	cancer after treatment with trastuzumab and a taxane	Dec-15	No	Not recommended
TA372	Apremilast for treating active psoriatic arthritis	Dec-15	Yes	Not recommended
TA373	Abatacept, adalimumab, etanercept and tocilizumab for treating juvenile idiopathic arthritis	Dec-15	Yes	Fully implemented
	Erlotinib and gefitinib for treating non-small-cell lung cancer that has progressed after prior			, , , , , , , , , , , , , , , , , , , ,
TA374	chemotherapy	Dec-15	No	Guidance is not applicable to WMUH
	Adalimumab, etanercept, infliximab, certolizumab pegol, golimumab, tocilizumab and abatacept for			
	rheumatoid arthritis not previously treated with DMARDs or after conventional DMARDs only have			
TA375	failed	Jan-16	Yes	Fully implemented
TA376	Radium-223 dichloride for treating hormone-relapsed prostate cancer with bone metastases	Jan-16	No	Guidance is not applicable to WMUH
	Enzalutamide for treating metastatic hormone-relapsed prostate cancer before chemotherapy is			
TA377	indicated	Jan-16	No	Guidance is not applicable to WMUH
	Ramucirumab for treating advanced gastric cancer or gastro—oesophageal junction adenocarcinoma			·
TA378	previously treated with chemotherapy	Jan-16	No	Not recommended
TA379	Nintedanib for treating idiopathic pulmonary fibrosis	Jan-16	No	Guidance is not applicable to WMUH
TA380	Panobinostat for treating multiple myeloma after at least 2 previous treatments	Jan-16	Yes	Fully implemented
	Olaparib for maintenance treatment of relapsed, platinum-sensitive, BRCA mutation-positive ovarian,			
	fallopian tube and peritoneal cancer after response to second-line or subsequent platinum-based			
TA381	chemotherapy	Jan-16	No	Guidance is not applicable to WMUH
TA382	Eltrombopag for treating severe aplastic anaemia refractory to immunosuppressive therapy	Jan-16	Terminated Appraisal	Terminated Appraisal
TA383	TNF-alpha inhibitors for ankylosing spondylitis and non-radiographic axial spondyloarthritis	Feb-16	Yes	Fully implemented
TA384	Nivolumab for treating advanced (unresectable or metastatic) melanoma	Feb-16	No	Guidance is not applicable to WMUH
TA385	Ezetimibe for treating primary heterozygous-familial and non-familial hypercholesterolaemia	Feb-16	Yes	Fully implemented
TA386	Ruxolitinib for treating disease-related splenomegaly or symptoms in adults with myelofibrosis	Mar-16	Yes	Fully implemented